## **Author index**

Aagaard JE, Krutovskii KV, Strauss SH. RAPD markers of mitochondrial origin exhibit lower population diversity and higher differentiation than RAPDs of nuclear origin in Douglas fir, 801

Aars J, Ims RA, Liu H-P, Mulvey M, Smith MH. Bank voles in linear habitats show restricted gene flow as revealed by mitochondrial DNA (mtDNA), 1383

Abad P see Semblat JP

Abd El-Mawla EM see Laurent L

Abe S see Ohnishi N

Adams RP, Zong M, Turuspekov Y, Dafforn MR, Veldkamp JF.

DNA fingerprinting reveals clonal nature of *Vetiveria zizanioides* (L.) Nash, Gramineae and sources of potential new germplasm, 813

Adriamanga M see Estoup A

Aeschlimann A see Delaye C

Aguilar A see Bérubé M

Akimoto M, Shimamoto Y, Morishima H. Population genetic structure of wild rice Oryza glumaepatula distributed in the Amazon flood area influenced by its life-history traits, 1371

Akre JJ see Dickinson JL

Albornoz J see Pérez T

Aldrich PR, Hamrick JL, Chavarriaga P, Kochert G. Microsatellite analysis of demographic genetic structure in fragmented populations of the tropical tree Symphonia globulifera, 933

Allendorf FW see Luikart G

Alvarez AJ, Khanna M, Toranzos GA, Stotzky G. Amplification of DNA bound on clay minerals, 775

Amicucci A, Zambonelli A, Giomaro G, Potenza L, Stocchi V. Identification of ectomycorrhizal fungi of the genus *Tuber* by species-specific ITS primers, 273

Amos W see Valsecchi E

Anderson JB see Kerrigan RW

Anderson JB see Xu J

Anzidei M see Bucci G

Anzidei M see Echt CS

Aquadro CF see Schug MD

Arctander P see Birungi J

Arctander P see Nyakaana S

Arctander P see Simonsen BT

Arens P, Coops H, Jansen J, Vosman B. Molecular genetic analysis of black poplar (*Populus nigra* L.) along Dutch rivers, 11

Arndt A, Smith MJ. Genetic diversity and population structure in two species of sea cucumber: differing patterns according to mode of development, 1053

Arnold GM see Winfield MO

Artiguebielle E see Samadi S

Atkinson CT see Fonseca DM

Avise JC see Jones AG

Avise JC. The history and purview of phylogeography: a personal reflection, 371

Bachmann K see Tollefsrud MM Bacilieri R see Streiff R Backeliau T see Castilla AM

Backeljau T see Winnepenninckx B

Bacon PJ see Piertney SB

Bagley MJ, Gall GAE. Mitochondrial and nuclear DNA sequence variability among populations of rainbow trout (Oncorhynchus mykiss), 945

Bagley MJ, Geller JB. Characterization of microsatellite loci in the vermilion snapper *Rhomboplites aurorubens* (Percoidei: Lutjanidae), 1089

Bailey JP see Hollingsworth ML

Baker CS see Dalebout ML

Baker CS, Medrano-Gonzalez L, Calambokidis J, Perry A, Pichler F, Rosenbaum H, Straley JM, Urban-Ramirez J, Yamaguchi M, Von Ziegesar O. Population structure of nuclear and mitochondrial DNA variation among humpback whales in the North Pacific, 695

Baker RJ see Makova KD

Ball AO, Leonard S, Chapman RW. Characterization of (GT)<sub>n</sub> microsatellites from native white shrimp (*Penaeus setiferus*), 1251

Baltisberger M see Bauert MR

Bariana HS see Kinnear MW

Barratt EM see Burland TM

Batley J, Edwards KJ, Wiltshire CW, Glen D, Karp A. The isolation and characterization of microsatellite loci in the willow beetles, *Phyllodecta vulgatissima* (L.) and *P. vitellinae* (L.), 1434

Bauert MR, Kälin M, Baltisberger M, Edwards PJ. No genetic variation detected within isolated relict populations of Saxifraga cernua in the Alps using RAPD markers, 1519

Baurens F-C see Lagoda PJL

Baverstock PR see Jerry DR

Beacham TD see Small MP

Becher SA, Griffiths R. Genetic differentiation among local populations of the European hedgehog (Erinaceus europaeus) in mosaic habitats, 1599

Beebee TJC see Rowe G

Beissinger SR see Hughes CR

Bendixen C see Wesley Andersen L

Bengaly Z see Lefrançois T

Bentzen P see Condrey MJ

Bentzen P see Olsen JB

Bentzen P see Wenburg JK

Bermingham E, Martin AP. Comparative mtDNA phylogeography of neotropical freshwater fishes: testing shared history to infer the evolutionary landscape of lower Central America,

Bermingham P see Moritz C

Bernatchez L, Wilson CC. Comparative phylogeography of Nearctic and Palearctic fishes, 431

Bernatchez L see Brunner PC

Bernatchez L see Glémet H

Bernatchez L see Wilson CC

Bérubé M, Aguilar A, Dendanto D, Larsen F, Notarbartolo Di Sciara G, Sears R, Sigurjónsson J, Urban-R J, Palsbøll PJ. Population genetic structure of North Atlantic, Mediterranean Sea and Sea of Cortez fin whales, *Balaenoptera physalus* (Linnaeus 1758): analysis of mitochondrial and nuclear loci, 585

Billot C, Rousvoal S, Estoup A, Epplen JT, Saumitou-Laprade P, Valero M, Kloareg B. Isolation and characterization of microsatellite markers in the nuclear genome of the brown alga Laminaria digitata (Phaeophyceae), 1778

Birney EC see Kim I

Birungi J, Roy MS, Arctander P. DMSO-preserved samples as a source of mRNA for RT–PCR, 1429

Blanco G see Wink M

Blier P see Glémet H

Bonde RK see Garcia-Rodriguez AI

Boness DJ see Perry EA

Bonvicini C see Gomulski LM

Boomsma JJ, Van Der Have TM. Queen mating and paternity variation in the ant Lasius niger, 1709

Born EW see Wesley Andersen L

Bouchard D see Selosse M-A

Bourtzis K see Gomulski LM

Bowen BW see Garcia-Rodriguez AI

Bowen WD see Coltman DW

Bowman TD see Scribner KT

Bradai MN see Laurent L

Brandl R see Hänfling B

Brandl R see Husseneder C

Brem G see Imhof M

Brochmann C, Gabrielsen TM. Sex after all: high levels of diversity detected in the arctic clonal plant Saxifraga cernua using RAPD markers, 1701

Brochmann C see Tollefsrud MM

Broderick AC see Laurent L

Brogna S see Gomulski LM

Brown RP, Pestano J. Phylogeography of skinks (Chalcides) in the Canary Islands inferred from mtDNA sequences, 1183

Bruford MW see Ciofi C

Brum-Zorrilla N see González S

Brunner PC, Douglas MR, Bernatchez L. Migration/selection balance and ecotypic differentiation in the mosquito Culex pipiens, 209

Bruns TD, Szaro TM, Gardes M, Cullings KW, Pan JJ, Taylor DL, Horton TR, Kretzer A, Garbelotto M, Li Y. A sequence database for the identification of ectomycorrhizal basidiomycetes by phylogenetic analysis, 257

Brunsfeld SJ see Cook LM

Bucci G see Scotti I

Bucci G, Anzidei M, Madaghiele A, Vendramin GG. Detection of haplotypic variation and natural hybridization in halepensis-complex pine species using chloroplast simple sequence repeat (SSR) markers, 1633

Buchanan FC, Maiers LD, Thue TD, De March BGE, Stewart REA. Microsatellites from the Atlantic walrus Odobenus rosmarus rosmarus, 1083

Bucheli E, Gautschi B, Shykoff JA. Isolation and characterization of microsatellite loci in the anther smut fungus Microbotryum violaceum, 665

Burke T see Gilbert L

Burke T see Kimwele CN

Burke T see King TM

Burke T see Martinez IG

Burke T see Rowe G

Burland TM, Barratt EM, Racey PA. Isolation and characterization of microsatellite loci in the brown long-eared bat, *Plecotus* auritus, and cross-species amplification within the family Vespertilionidae, 136

Buso GSC, Rangel PH, Ferreira ME. Analysis of genetic variability of South American wild rice populations (*Oryza glumaepatula*) with isozymes and RAPD markers, 107

Calambokidis J see Baker CS

Call DR, Hallett JG. PCR primers for microsatellite loci in the anurans Rana luteiventris and Hyla regilla, 1085

Call DR, Hallett JG, Mech SG, Evans M. Considerations for measuring genetic variation and population structure with multilocus fingerprinting, 1337

Callac P see Xu J

Carcreff E, Rasplus JY, Roques A, Mondor G, Vautrin D, Solignac M. Development of microsatellite markers for parentage typing of chicks in the ostrich Struthio camelus, 251

Cardoso MA, Provan J, Powell W, Ferreira PCG, De Oliveira DE. High genetic differentiation among remnant populations of the endangered Caesalpinia echinata Lam. (Leguminosae-Caesalpinioideae), 601

Cariou M-L see Samadi S

Carss DN see Goostrey A

Carss DN see Piertney SB

Carter D see Takabayashi M

Carvalho DB see Kerrigan RW

Carvalho GR see Gómez A

Carvalho GR see Hauser L

Casale P see Laurent L

Castagnone-Sereno P see Semblat IP

Castilla AM, Fernández-Pedrosa V, Backeljau T, González A, Latorre A, Moya A. Conservation genetics of insular *Podarcis* lizards using partial cytochrome *b* sequences, 1407

Chapman RW see Ball AO

Chapuisat M. Mating frequency of ant queens with alternative dispersal strategies, as revealed by microsatellite analysis of sperm, 1097

Chavarriaga P see Aldrich PR

Chavigny P see Vanlerberghe-Masutti F

Chen H, Sun M. Consensus multiplex PCR–restriction fragment length polymorphism (RFLP) for rapid detection of plant mitochondrial DNA polymorphism, 1553

Chesser RK see Makova KD

Chevillon C, Rivet Y, Raymond M, Rousset F, Smouse PE, Pasteur N. Sexing birds using random amplified polymorphic DNA (RAPD) markers, 197

Chow S, Hazama K. Universal PCR primers for S7 ribosomal protein gene introns in fish, 1255

Cicero C, Johnson NK. Molecular phylogeny and ecological diversification in a clade of New World songbirds (genus Vireo), 1359

Ciofi C, Bruford MW. Isolation and characterization of microsatellite loci in the Komodo dragon Varanus komodoensis, 134

Clabby C see Gómez A

Clegg SM, Hale P, Moritz C. Molecular population genetics of the red kangaroo (Macropus rufus): mtDNA variation, 679

Coltman DW, Bowen WD, Wright JM. Male mating success in an aquatically mating pinniped, the harbour seal (Phoca vitulina), assessed by microsatellite DNA markers, 627

- Conant S see Tarr CL
- Condrey MJ, Bentzen P. Characterization of coastal cutthroat trout (Oncorhynchus clarki clarki) microsatellites and their conservation in other salmonids, 787
- Cook D see Ruzzante DE
- Cook IM see West SA
- Cook LM, Soltis PS, Brunsfeld SJ, Soltis DE. Multiple independent formations of Tragopogon tetraploids (Asteraceae): evidence from RAPD markers, 1293
- Cooper DW see Taylor AC
- Cooper DW see Taylor AC
- Cooper F see Winfield MO
- Coops H see Arens P
- Cornuet J-M see Estoup A
- Cosson J-F see Taberlet P
- Cuguen J see Forcioli D
- Cuisance D see Lefrançois T Cullings KW, Vogler DR. A 5.8S nuclear ribosomal RNA gene sequence database: applications to ecology and evolution, 919
- Cullings KW see Bruns TD
- Cunningham M see Schneider CJ
- Da Silva MNF, Patton JL. Molecular phylogeography and the evolution and conservation of Amazonian mammals, 475
- Dafforn MR see Adams RP
- Dalebout ML, Van Helden A, Van Waerebeek K, Baker CS. Molecular genetic identification of southern hemisphere beaked whales (Cetacea: Ziphiidae), 687
- Dales RBG see Gomes C
- Dallas JF, Piertney SB. Microsatellite primers for the Eurasian otter, 1248
- Dallas JF see Piertney SB
- Dallas JF see Piertney SB
- Dallas IF see Stewart WA
- Dalmasso A see Semblat JP
- Dambier D see Lagoda PJL
- Darmency H, Lefol E, Fleury A. Spontaneous hybridization between oilseed rape and wild radish, 1467
- Davis CS, Strobeck C. Isolation, variability, and cross-specific amplification of polymorphic microsatellite loci in the family Mustelidae, 1776
- Dawson D see Martinez JG
- Dawson IK see Lowe AJ
- Dawson RJG see Griffiths R
- De La Rocque S see Lefrançois T
- De La Rúa P, Serrano J, Galián J. Mitochondrial DNA variability in the Canary Islands honeybees (Apis mellifera L.), 1543
- De March BGE see Buchanan FC
- De Meeûs T see Delaye C
- De Oliveira DE see Cardoso MA
- De Sousa L see Gibbs HL
- Delaye C, Aeschlimann A, Renaud F, Rosenthal B, De Meeûs T. Isolation and characterisation of microsatellite markers in the Ixodes ricinus complex (Acari: Ixodidae), 361
- Demastes JW, Hafner MS, Hafner DJ, Spradling TA. Pocket gophers and chewing lice: a test of the maternal transmission hypothesis, 1065
- Demirayak F see Laurent L
- Dendanto D see Bérubé M
- Deutsch JC see Van Oppen MJH
- Deverno LL see Echt CS

- Dickinson JL, Akre JJ. Extrapair paternity, inclusive fitness, and within-group benefits of helping in western bluebirds, 95
- Dietz-Pfeilstetter A, Kirchner M. Analysis of gene inheritance and expression in hybrids between transgenic sugar beet and wild beets, 1693
- Dillon MC see O'Connell M
- Doche B see Escaravage N
- Dole JA see Kim I
- Domingo M see Laurent L
- Domínguez A see Pérez T
- Domning D see Garcia-Rodriguez AI
- Dorschner MO see Reed KM
- Double MC see Griffiths R
- Douglas MR see Brunner PC
- Doval G see Wink M
- Duarte JMB see González S
- Duvernell DD, Turner BJ. Evolutionary genetics of Death Valley pupfish populations: mitochondrial DNA sequence variation and population structure, 279
- Echt CS, Deverno LL, Anzidei M, Vendramin GG. Chloroplast microsatellites reveal population genetic diversity in red pine, Pinus resinosa Ait., 307
- Edwards KJ see Batley J
- Edwards KJ see Owen PG
- Edwards KJ see Winfield MO
- Edwards PJ see Bauert MR
- Egan S see Wiener P
- Ellsworth JA, Hoelzer GA. Characterization of microsatellite loci in a New World primate, the mantled howler monkey (Alouatta palliata), 657
- Emerson BC see Santucci F
- Engel CR see Wattier R
- Epplen C see Husseneder C
- Epplen C, Over I, Lubjuhn T, Epplen JT, Sauer KP. Genetic distinction of scorpionflies (Panorpa vulgaris) by microsatellites,
- Epplen JT see Billot C
- Epplen JT see Epplen C
- Epplen JT see Husseneder C
- Escaravage N, Questiau S, Pornon A, Doche B, Taberlet P. Clonal diversity in a Rhododendron ferrugineum L. (Ericaceae) population inferred from AFLP markers, 975
- Estoup A see Billot C
- Estoup A see Samadi S
- Estoup A, Rousset F, Michalakis Y, Cornuet J-M, Adriamanga M, Guyomard R. Comparative analysis of microsatellite and allozyme markers: a case study investigating microgeographic differentiation in brown trout (Salmo trutta), 339
- Evans BS, White RWG, Ward RD. Genetic identification of asteroid larvae from Tasmania, Australia, by PCR-RFLP, 1077
- Evans M see Call DR
- Eybert M-C see Questiau S
- Faber JE see Stepien CA
- Faith DP see Moritz C
- Fenton B, Woodford JAT, Malloch G. Analysis of clonal diversity of the peach-potato aphid, Myzus persicae (Sulzer), in Scotland, UK and evidence for the existence of a predominant clone, 1475
- Ferguson JWH see Frantzen MAJ

Ferguson ME, Ford-Lloyd BV, Robertson LD, Maxted N, Newbury HJ. Mapping the geographical distribution of genetic variation in the genus Lens for the enhanced conservation of plant genetic diversity, 1743

Fernández-Pedrosa V see Castilla AM

Ferrari M see Valsecchi E

Ferreira ME see Buso GSC

Ferreira PCG see Cardoso MA

Ferris C see Hollingsworth ML

Ferris C see King RA

Fitzsimmons NN. Single paternity of clutches and sperm storage in the promiscuous green turtle (Chelonia mydas), 575

Field A see Refseth UH

Fleischer RC see Fonseca DM

Fleischer RC see Perry EA

Fleischer RC see Tarr CL

Fleischer RC see Tarr CL

Fleischer RC see Wooninck L

Fleischer RC, Mcintosh CE, Tarr CL. Evolution on a volcanic conveyor belt: using phylogeographic reconstructions and K-Ar-based ages of the Hawaiian Islands to estimate molecular evolutionary rates, 533

Fleury A see Darmency H

Fonseca DM, Atkinson CT, Fleischer RC. Microsatellite primers for Culex pipiens quinquefasciatus, the vector of avian malaria in Hawaii, 1617

Fonseca JE see Peters JM

Foote CJ see Wenburg JK

Forcioli D, Saumitou-Laprade P, Valero M, Vernet P, Cuguen J.

Distribution of chloroplast DNA diversity within and among populations in gynodioecious *Beta vulgaris* ssp. *maritima* (Chenopodiaceae), 1193

Ford-Lloyd BV see Ferguson ME

Frantzen MAJ, Silk JB, Ferguson JWH, Wayne RK, Kohn MH.
Empirical evaluation of preservation methods for faecal
DNA, 1423

Freggi D see Laurent L

Frommer M see Kinnear MW

Fry AJ, Zink RM. Geographic analysis of nucleotide diversity and song sparrow (Aves: Emberizidae) population history, 1303

Fumagalli L see Taberlet P

Gabrielsen TM see Brochmann C

Gaginskaya AR see Questiau S

Galián J see De La Rúa P

Gall GAE see Bagley MJ

Gallagher C see Quesada H

Garbelotto M see Bruns TD

Garcia-Rodriguez AI, Bowen BW, Domning D, Mignucci-Giannoni AA, Marmontel M, Montoya-Ospina RA, Morales-Vela B, Rudin M, Bonde RK, McGuire PM. Phylogeography of the West Indian manatee (*Trichechus manatus*): how many populations and how many taxa?, 1137

Gardes M see Bruns TD

Gasperi G see Gomulski LM

Gaudette MS see Schug MD

Gautier Ch see Laurent L

Gautschi B see Bucheli E

Geller JB see Bagley MJ

Genner MJ see Van Oppen MJH

Gerosa G see Laurent L

Gianinazzi-Pearson V see Van Tuinen D

Gibbs HL, De Sousa L, Marchetti K, Nakamura H. Isolation and characterization of microsatellite DNA loci for an obligate brood parasitic bird, the common cuckoo (Cuculus canorus), 1437

Gielly L see Meyran JC

Gielly L see Questiau S

Gilbert L, Burke T, Krupa A. No evidence for extra-pair paternity in the western gull, 1549

Gillespie RG see Roderick GK

Giomaro G see Amicucci A

Gittleman JL see Gompper ME

Gjertz I see Wesley Andersen L

Glémet H, Blier P, Bernatchez L. Geographical extent of Arctic char (Salvelinus alpinus) mtDNA introgression in brook char populations (S. fontinalis) from eastern Québec, Canada, 1655

Glen D see Batley J

Gliddon CJ see Hoare K

Glockner-Ferrari D see Valsecchi E

Glössl J see Streiff R

Godfrey HJC see West SA

Godley BJ see Laurent L

Gold JR see Turner TF

Gollotte A see Van Tuinen D

Gomati HE see Laurent L

Gomes C, Dales RBG, Oxenford HA. The application of RAPD markers in stock discrimination of the four-wing flyingfish, Hirundichthys affinis in the central western Atlantic, 1029

Gómez A, Clabby C, Carvalho GR. Isolation and characterization of microsatellite loci in a cyclically parthenogenetic rotifer, Brachionus plicatilis, 1619

Gompper ME, Gittleman JL, Wayne RK. Discriminating coho salmon (Oncorhynchus kisutch) populations within the Fraser River, British Columbia using microsatellite DNA markers, 157

Gomulski LM, Bourtzis K, Brogna S, Morandi PA, Bonvicini C, Sebastiani F, Torti C, Guglielmino CR, Savakis C, Gasperi G, Malacrida A. Intron size polymorphism of the Adh<sub>1</sub> gene parallels the worldwide colonization history of the Mediterranean fruit fly Ceratitis capitata, 1729

González A see Castilla AM

González S, Maldonado JE, Leonard JA, Vilà C, Duarte JMB, Merino M, Brum-Zorrilla N, Wayne RK. Conservation genetics of the endangered Pampas deer (Ozotoceros bezoarticus), 47

Goodnight KF see Strassmann JE

Goossens B, Waits LP, Taberlet P. Plucked hair samples as a source of DNA: reliability of dinucleotide microsatellite genotyping, 1237

Goostrey A see Piertney SB

Goostrey A, Carss DN, Noble LR, Piertney SB. Population introgression and differentiation in the great cormorant *Phalacrocorax carbo* in Europe, 329

Grapin A see Lagoda PJL

Grapputo A, Pilastro A, Marin G. Genetic variation and bill size dimorphism in a passerine bird, the reed bunting Emberiza schoeniclus. 1173

Grashof-Bokdam CJ, Jansen J, Smulders MJM. Dispersal, philopatry, and genetic relatedness in a social carnivore: comparing males and females, 165

- Graves JA see Kimwele CN
- Griffiths R see Becher SA
- Griffiths R, Double MC, Orr K, Dawson RJG. A DNA test to sex most birds, 1071
- Groen AF see Wenink PW
- Guglielmino CR see Gomulski LM
- Guyomard R see Estoup A
- Hadjichristophorou M see Laurent L
- Hadoud DA see Laurent L
- Hafner DI see Demastes IW
- Hafner MS see Demastes JW
- Hale P see Clegg SM
- Hallett JG see Call DR
- Hallett JG see Call DR
- Hamrick IL see Aldrich PR
- Hamrick JL see Schnabel A
- Hänfling B, Brandl R. Genetic variability, population size and isolation of distinct populations in the freshwater fish Cottus gobio L., 1625
- Hanotte O see Kimwele CN
- Hanotte O see King TM
- Harr B see Imhof M
- Harris D see Santo Domingo IW
- Harry M, Poyet G, Romaña CA, Solignac M. Isolation and characterization of microsatellite markers in the bloodsucking bug Rhodnius pallescens (Heteroptera, Reduviidae), 1784
- Hatton-Ellis TW, Noble LR, Okamura B. Genetic variation in a freshwater bryozoan. I: Populations in the Thames basin, UK, 1575
- Hatzofe O see Wink M
- Haukka K see Moreira FMS
- Hauser L, Carvalho GR, Pitcher TJ, Ogutu-Ohwayo R. Genetic affinities of an introduced predator: Nile perch in Lake Victoria, East Africa, 849
- Hayworth DA see Schaal BA
- Hazama K see Chow S
- Hedrick PW see Parker KM
- Heller I see Samadi S
- Herbers JM, Mouser RL. Microsatellite DNA markers reveal details of social structure in forest ants, 299
- Hewitt GM see Knight ME
- Hewitt GM see Santucci F
- Hewitt GM see Van Oppen MJH
- Higgins B see Huff DR
- Hoare K, Hughes RN, Gliddon CJ. Polymorphic microsatellite markers isolated from the Bryozoan Celleporella hyalina (L.),
- Hoegh-Guldberg O see Takabayashi M
- Hoelzer GA see Ellsworth JA
- Holben WE see Santo Domingo JW
- Hollingsworth ML, Hollingsworth PM, Jenkins GI, Bailey JP, Ferris C. The use of molecular markers to study patterns of genotypic diversity in some invasive alien Fallopia spp. (Polygonaceae), 1681
- Hollingsworth PM see Hollingsworth ML
- Holm L-E see Wesley Andersen L
- Holst-Jensen A see Vralstad T Horgen PA see Kerrigan RW
- Horgen PA see Xu J
- Horton TR see Bruns TD

- Hsiao JY see Liao LC
- Hudson RR. Island models and the coalescent process, 413
- Huff DR, Quinn JA, Higgins B, Pallazo AJ. Random amplified polymorphic DNA (RAPD) variation among native little bluestem [Schizachyrium scoparium (Michx.) Nash] populations from sites of high and low fertility in forest and grassland biomes, 1591
- Hughes CR, Kavlie R, Johnson K. Characterization of polymorphic trinucleotide microsatellite loci in the great-tailed grackle, Quiscalus mexicanus, 783
- Hughes CR, Melland RR, Beissinger SR. Polymorphic trinucleotide microsatellite loci for a neotropical parrot, the greenrumped parrotlet, Forpus passerinus, 1247
- Hughes IM see Hurwood DA
- Hughes K see Parker KM
- Hughes RN see Hoare K
- Hurwood DA, Hughes JM. Phylogeography of the freshwater fish, Mogurnda adspersa, in streams of northeastern Queensland, Australia: evidence for altered drainage patterns, 1507
- Husseneder C, Brandl R, Epplen C, Epplen JT, Kaib M. Variation between and within colonies in the termite: morphology, genomic DNA, and behaviour, 983
- Hutter CM see Schug MD
- Hyman BC see Lunt DH
- Imhof M, Harr B, Brem G, Schlötterer C. Multiple mating in wild Drosophila melanogaster revisited by microsatellite analy-
- Imperatriz VL see Peters JM
- Ims RA see Aars J
- Isagi Y see Minami E
- Isago Y see Naito K
- Ishibashi Y see Ohnishi N
- Jacquot E see Van Tuinen D
- Jakobsen E see Refseth UH
- Jakobsen KS see Tollefsrud MM
- Jansen I see Arens P
- Jansen J see Grashof-Bokdam CJ
- Jaquot D see Selosse M-A
- Jarne P see Samadi S
- Jenkins GI see Hollingsworth ML
- Jerry DR, Baverstock PR. Consequences of a catadromous lifestrategy for levels of mitochondrial DNA differentiation among populations of the Australian bass, Macquaria novemaculeata, 1003
- Johnson K see Hughes CR
- Johnson NK see Cicero C
- Jones AG, Kvarnemo C, Moore GI, Simmons LW, Avise JC. Microsatellite evidence for monogamy and sex-biased recombination in the Western Australian seahorse Hippocampus angustus, 1497
- Kabore I see Lefrançois T
- Kaib M see Husseneder C
- Kaji K see Nagata J
- Kälin M see Bauert MR
- Kaneko M see Nagata J
- Kaneko Y see Minami E
- Karp A see Batley J

Karp A see Owen PG

Karp A see Winfield MO

Kaufman MG see Santo Domingo JW

Kavlie R see Hughes CR

Kawaguchi H see Minami E

Kelly AJ, Willis JH. Polymorphic microsatellite loci in Mimulus guttatus and related species, 769

Kemp SJ see Kumari P

Kephart SR see Wolfe AD

Kerrigan RW see Xu J

Kerrigan RW, Carvalho DB, Horgen PA, Anderson JB. The indigenous coastal Californian population of the mushroom Agaricus bisporus, a cultivated species, may be at risk of extinction, 35

Khanna M see Alvarez AJ

Kim I, Phillips CJ, Monjeau JA, Birney EC, Noack K, Pumo DE, Sykes RS, Dole JA. Habitat islands, genetic diversity and gene flow in a Patagonian rodent, 667

Kim TJ see Parker KM

Kimwele CN, Graves JA, Burke T, Hanotte O. Microsatellite markers in wood mouse and striped field mouse (genus Apodemus), 249

King RA, Ferris C. Chloroplast DNA phylogeography of Alnus glutinosa (L.) Gaertn., 1151

King TM, Hanotte O, Burke T, Wallis GP. Characterization of four microsatellite loci in tree weta (Orthoptera: Stenopelmatidae): their potential usefulness for the study of Hemideina, 663

Kinnear MW, Bariana HS, Sved JA, Frommer M. Polymorphic microsatellite markers for population analysis of a tephritid pest species. Bactrocera truoni. 1489

Kirchner M see Dietz-Pfeilstetter A

Klingler CJ see Strassmann JE

Kloareg B see Billot C

Klug MJ see Santo Domingo JW

Knight ME, Turner GF, Rico C, Van Oppen MJH, Hewitt GM. Microsatellite paternity analysis on captive Lake Malawi cichlids supports reproductive isolation by direct mate choice, 1605

Kochert G see Aldrich PR

Kohn MH see Frantzen MAJ

Kölliker R, Stadelmann FJ, Reidy B, Nösberger J. Fertilization and defoliation frequency affect genetic diversity of Festuca pratensis Huds. in permanent grasslands, 1557

Koop BF see Smith CT

Kornaraky L see Laurent L

Kremer A see Streiff R

Kretzer A see Bruns TD

Krupa A see Gilbert L

Krutovskii KV see Aagaard JE

Kruuk LEB see Marshall TC

Krysanov EYu see Makova KD

Kuhnlein U see Urbani N

Kumar A, Rogstad SH. A hierarchical analysis of minisatellite DNA diversity in Gambel oak (Quercus gambelii Nutt.; Fagaceae), 859

Kumari P, Kemp SJ. Polymorphic microsatellite markers in the ostrich (Struthio camelus), 133

Kvarnemo C see Jones AG

Labbe T see Streiff R

Lagoda PJL, Noyer J-L, Dambier D, Baurens F-C, Grapin A, Lanaud C. Sequence tagged microsatellite site (STMS) markers in the Musaceae, 659

Lanaud C see Lagoda PIL

Larsen F see Bérubé M

Latorre A see Castilla AM

Laurent L, Casale P, Bradai MN, Godley BJ, Gerosa G, Broderick AC, Schroth W, Schierwater B, Levy AM, Freggi D, Abd El-Mawla EM, Hadoud DA, Gomati HE, Domingo M, Hadjichristophorou M, Kornaraky L, Demirayak F, Gautier Ch. Molecular resolution of marine turtle stock composition in fishery bycatch: a case study in the Mediterranean, 1529

Le Ray M see Winfield MO

Le Tacon F see Selosse M-A

Lefol E see Darmency H

Lefrançois T, Solano P, De La Rocque S, Bengaly Z, Reifenberg JM, Kabore I, Cuisance D. New epidemiological features on animal trypanosomiasis by molecular analysis in the pastoral zone of Sideradougou, Burkina Faso, 897

Leonard JA see González S

Leonard S see Ball AO

**Lessells CM, Mateman AC.** Mitochondrial DNA diversity and historical biogeography of a wet forest-restricted frog (*Litoria pearsoniana*) from mid-east Australia, 187

Levy AM see Laurent L

Li Y see Bruns TD

Liao LC, Hsiao JY. Relationship between population genetic structure and riparian habitat as revealed by RAPD analysis of the rheophyte Acorus gramineus Soland. (Araceae) in Taiwan. 1275

Lim RH see Schug MD

Liu H-P see Aars ]

Loh WKW see Takabayashi M

Lowe AJ, Russell JR, Powell W, Dawson IK. Identification and characterization of nuclear, cleaved amplified polymorphic sequence (CAPS) loci in *Irvingia gabonensis* and *I. wombolu*, indigenous fruit trees of west and central Africa, 1786

Lubjuhn T see Epplen C

Luikart G, Sherwin WB, Steele BM, Allendorf FW. Usefulness of molecular markers for detecting population bottlenecks via monitoring genetic change, 963

Lunt DH, Whipple LE, Hyman BC. Mitochondrial DNA variable number tandem repeats (VNTRs): utility and problems in molecular ecology, 1441

Lynch JM see Naseby DC

Maccoll ADC see Piertney SB

Madaghiele A see Bucci G

Maiers LD see Buchanan FC

Makova KD, Patton JC, Krysanov EYu, Chesser RK, Baker RJ. Recent divergence between two morphologically differentiated subspecies of bluethroat (Aves: Muscicapidae: *Luscinia svecica*) inferred from mitochondrial DNA sequence variation, 247

Malacrida A see Gomulski LM

Maldonado JE see González S

Malloch G see Fenton B

Marchetti K see Gibbs HL

Marin G see Grapputo A

Marmontel M see Garcia-Rodriguez Al

- Marquiss M see Piertney SB
- Marshall TC, Slate J, Kruuk LEB, Pemberton JM. Statistical confidence for likelihood-based paternity inference in natural populations, 639
- Martin AP see Bermingham E
- Martin F see Selosse M-A
- Martinez F see Wink M
- Martinez JG, Burke T, Dawson D, Soler JJ, Soler M, Møller AP.

  Microsatellite typing reveals mating patterns in the brood parasitic great spotted cuckoo (Clamator glandarius), 289
- Masuda R see Nagata J
- Mateman AC see Lessells CM
- Maxted N see Ferguson ME
- Mcdonald K see Mcguigan K
- Mcguigan K, Mcdonald K, Parris K, Moritz C. Dispersal patterns of Lonicera periclymenum determined by genetic analysis, 175
- Mcguire PM see Garcia-Rodriguez Al
- Mcintosh CE see Fleischer RC
- Mech SG see Call DR
- Medrano-Gonzalez L see Baker CS
- Melland RR see Hughes CR
- Merino M see González S
- Mes THM. Character compatibility of molecular markers to distinguish asexual and sexual reproduction, 1719
- Meyran JC, Gielly L, Taberlet P. Environmental calcium and mitochondrial DNA polymorphism among local populations of Gammarus fossarum (Crustacea, Amphipoda), 1391
- Michalakis Y see Estoup A
- Midthjell L see Røed KH
- Mignucci-Giannoni AA see Garcia-Rodriguez AI
- Minami E, Isagi Y, Kaneko Y, Kawaguchi H. Polymorphic microsatellite markers in Japanese horse chestnut Aesculus turbinata Blume, 1616
- Møller AP see Martinez IG
- Mondor G see Carcreff E
- Monjeau IA see Kim I
- Montoya-Ospina RA see Garcia-Rodriguez AI
- Moore GI see Jones AG
- Morales-Vela B see Garcia-Rodriguez Al
- Morandi PA see Gomulski LM
- Moreira FMS, Haukka K, Young JPW. Biodiversity of rhizobia isolated from a wide range of forest legumes in Brazil, 889
- Morishima H see Akimoto M
- Moritz C, Bermingham P. Comparative phylogeography: concepts and applications, 367
- Moritz C, Faith DP. Comparative phylogeography and the identification of genetically divergent areas for conservation, 419
- Moritz C see Clegg SM
- Moritz C see Mcguigan K
- Moritz C see Schneider CJ
- Mouser RL see Herbers JM
- Moya A see Castilla AM
- Mulvey M see Aars J
- Mundy NI see Nievergelt CM
- Nagata J, Masuda R, Kaji K, Kaneko M, Yoshida MC. Genetic variation and population structure of the Japanese sika deer (*Cervus nippon*) in Hokkaido Island, based on mitochondrial D-loop sequences, 871
- Naito K, Isago Y, Nakagoshi N. Isolation and characterization of

- microsatellites of Rhododendron metternichii Sieb. et Zucc. var. hondoense Nakai, 927
- Nakagoshi N see Naito K
- Nakamura H see Gibbs HL
- Naseby DC, Lynch JM. Impact of wild-type and genetically modified *Pseudomonas fluorescens* on soil enzyme activities and microbial population structure in the rhizosphere of pea,
- Nason ID see Schnabel A
- Navajas M see Tsagkarakou A
- Nelson RJ see Small MP
- Nelson RJ see Smith CT
- Nesbø CL see Refseth UH
- Newbury HJ see Ferguson ME
- Nievergelt CM, Mundy NI, Woodruff DS. Microsatellite primers for genotyping common marmosets (Callithrix jac-chus) and other callitricids, 1432
- Noack K see Kim I
- Noble LR see Goostrey A
- Noble LR see Hatton-Ellis TW
- Nösberger J see Kölliker R
- Notarbartolo Di Sciara G see Bérubé M
- Noyer J-L see Lagoda PJL
- Nyakaana S, Arctander P. Isolation and characterization of microsatellite loci in the African elephant, (Loxodonta africana), 1436
- O'Connell M, Dillon MC, Wright JM. Development of primers for polymorphic microsatellite loci in the Pacific herring (Clupea harengus pallasi), 359
- Ogutu-Ohwayo R see Hauser L
- Ohnishi N, Ishibashi Y, Saitoh T, Abe S, Yoshida MC. Polymorphic microsatellite DNA markers in the Japanese wood mouse Apodemus argenteus, 1431
- Okamura B see Hatton-Ellis TW
- Olsen JB, Bentzen P, Seeb JE. Characterization of seven microsatellite loci derived from pink salmon, 1087
- Olsen KM see Schaal BA
- Orr K see Griffiths R
- Osgood SM see Perkins SL
- Over I see Epplen C
- Owen PG, Pei M, Karp A, Royle DJ, Edwards KJ. Isolation and characterization of microsatellite loci in the wheat pathogen Mycosphaerella graminicola, 1611
- Oxenford HA see Gomes C
- Paetkau D, Shields GF, Strobeck C. Gene flow between insular, coastal and interior populations of brown bears in Alaska, 1283
- Pallazo AJ see Huff DR
- Palsbøll PI see Bérubé M
- Palumbi SR see Villablanca FX
- Pan II see Bruns TD
- Papaioannou-Souliotis P see Tsagkarakou A
- Parker KM, Hughes K, Kim TJ, Hedrick PW. Isolation and characterization of microsatellite loci from the Gila topminnow (Poeciliopsis o. occidentalis) and their utility in guppies (Poecilia reticulata), 363
- Parris K see Mcguigan K
- Pasteur N see Chevillon C
- Pasteur N see Tsagkarakou A

Patton JC see Makova KD

Patton JL see Da Silva MNF

Peakall R see Sydes MA

Pei M see Owen PG

Pemberton JM see Marshall TC

Pérez T, Albornoz J, Domínguez A. An evaluation of RAPD fragment reproducibility and nature, 1347

Perkins SL, Osgood SM, Schall JJ. Use of PCR for detection of subpatent infections of lizard malaria: implications for epizootiology, 1587

Perry A see Baker CS

Perry EA, Boness DJ, Fleischer RC. DNA fingerprinting evidence of nonfilial nusing in grey seals, 81

Pestano J see Brown RP

Peters JM, Queller DC, Imperatriz VL, Fonseca JE, Strassmann JE. Microsatellite loci for stingless bees, 784

Petren K. Microsatellite primers from *Geospiza fortis* and crossspecies amplification in Darwin's finches, 1782

Phillips CJ see Kim I

Phillips RB see Reed KM

Pichler F see Baker CS

Piertney SB see Dallas JF

Piertney SB see Goostrey A

Piertney SB see Stewart WA

Piertney SB, Goostrey A, Dallas JF, Carss DN. Highly polymorphic microsatellite markers in the great cormorant Phalacrocorax carbo, 138

Piertney SB, Maccoll ADC, Bacon PJ, Dallas JF. Local genetic structure in red grouse (*Lagopus lagopus scoticus*): evidence from microsatellite DNA markers, 1645

Piertney SB, Marquiss M, Summers R. Characterization of tetranucleotide microsatellite markers in the Scottish crossbill (Loxia scotica), 1261

Pilastro A see Grapputo A

Pitcher TJ see Hauser L

Pointier I-P see Samadi S

Pornon A see Escaravage N

Potenza L see Amicucci A

Powell W see Cardoso MA

Powell W see Lowe AJ

Powell W see Soranzo N

Poyet G see Harry M

Prins HHT see Wenink PW Provan J see Cardoso MA

Provan J see Soranzo N

Pumo DE see Kim I

Queller DC see Peters JM

Queller DC see Strassmann JE

Quesada H, Gallagher C, Skibinski DAG, Skibinski DOF. Patterns of polymorphism and gene flow of gender-associated mitochondrial DNA lineages in European mussel populations, 1041

Questiau S see Escaravage N

Questiau S, Eybert M-C, Gaginskaya AR, Gielly L, Taberlet P. Population structure of African buffalo inferred from mtDNA sequences and microsatellite loci: high variation but low differentiation, 239

Quinn JA see Huff DR

Racey PA see Burland TM

Raguso RA, Roy BA. 'Floral' scent production by Puccinia rust fungi that mimic flowers, 1127

Rangel PH see Buso GSC

Rasplus JY see Carcreff E

Rauscher JT see Schaal BA

Raymond M see Chevillon C

Reed KM, Dorschner MO, Todd TN, Phillips RB. Sequence analysis of the mitochondrial DNA control region of ciscoes (genus Coregonus): taxonomic implications for the Great Lakes species flock, 1091

Refseth UH, Nesbø CL, Stacy JE, Vøllestad L, Fjeld A, Jakobsen E. Genetic evidence for different migration routes of freshwater fish into Norway revealed by analysis of current perch (Perca fluviatilis) populations in Scandinavia, 1015

Reidy B see Kölliker R

Reifenberg JM see Lefrançois T

Renaud F see Delaye C

Richardson LR see Turner TF

Rico C see Knight ME

Rico C see Van Oppen MJH

Rivet Y see Chevillon C

Robertson LD see Ferguson ME

Robinson RL see Van Oppen MJH

Roderick GK, Gillespie RG. Speciation and phylogeography of Hawaiian terrestrial arthropods, 519

Roderick GK see Villablanca FX

Røed KH, Midthjell L. Microsatellites in reindeer, Rangifer tarandus, and their use in other cervids, 1773

Roelke-Parker ME see Wenink PW

Rogstad SH see Kumar A

Romaña CA see Harry M

Roques A see Carcreff E

Rosenbaum H see Baker CS Rosenthal B see Delaye C

Rousset F see Chevillon C

Rousset F see Estoup A

Rousset r see Estoup A

Rousvoal S see Billot C

Rowe G, Beebee TJC, Burke T. Phylogeography of the natterjack toad Bufo calamita in Britain: genetic differentiation of native and translocated populations, 751

Roy BA see Raguso RA

Roy MS see Birungi J

Royle DJ see Owen PG

Rudin M see Garcia-Rodriguez Al

Russell JR see Lowe AJ

Ruzzante DE, Taggart CT, Cook D. A nuclear DNA basis for shelf- and bank-scale population structure in northwest Atlantic cod (Gadus morhua): Labrador to Georges Bank, 1663

Sainte-Marie B see Urbani N

Saitoh T see Ohnishi N

Samadi S, Artiguebielle E, Estoup A, Pointier J-P, Silvain J-F, Heller J, Cariou M-L, Jarne P. Density and variability of dinucleotide microsatellites in the parthenogenetic polyploid snail Melanoides tuberculata, 1233

Santo Domingo JW, Kaufman MG, Klug MJ, Holben WE, Harris D, Tiedje JM. Influence of diet on the structure and function of the bacterial hindgut community of crickets, 761

Santucci F, Emerson BC, Hewitt GM. Mitochondrial DNA phylogeography of European hedgehogs, 1163

Sauer KP see Epplen C

- Sauer-Gürth H see Wink M
- Saumitou-Laprade P see Billot C
- Saumitou-Laprade P see Forcioli D
- Saumitou-Laprade P see Wattier R
- Savakis C see Gomulski LM
- Schaal BA, Hayworth DA, Olsen KM, Rauscher JT, Smith WA.
  Phylogeographic studies in plants: problems and prospects,
- Schall II see Perkins SL
- Schierwater B see Laurent L
- Schlötterer C see Imhof M
- Schnabel A, Nason JD, Hamrick JL. Understanding the population genetic structure of *Gleditsia triacanthos* L.: seed dispersal and variation in female reproductive success, 819
- Schneider CJ, Cunningham M, Moritz C. Comparative phylogeography and the history of endemic vertebrates in the Wet Tropics rainforests of Australia, 487
- Schroth W see Laurent L
- Schug MD, Wetterstrand KA, Gaudette MS, Lim RH, Hutter CM, Aquadro CF. The distribution and frequency of microsatellite loci in *Drosophila melanogaster*, 57
- Schumacher T see Vralstad T
- Scotti I, Troggio M, Soranzo N, Vendramin GG, Bucci G. A new set of PCR-based, locus-specific markers for Picea abies (L.) Karst., 789
- Scribner KT, Bowman TD. Microsatellites identify depredated waterfowl remains from glaucous gull stomachs, 1401
- Sears R see Bérubé M
- Sebastiani F see Gomulski LM
- Seeb JE see Olsen JB
- Selosse M-A, Jaquot D, Bouchard D, Martin F, Le Tacon F.
  Temporal persistence and spatial distribution of an American inoculant strain of the ectomycorrhizal basidiomycete *Laccaria bicolor* in a French forest plantation, 561
- Semblat JP, Wajnberg E, Dalmasso A, Abad P, Castagnone-Sereno P. High-resolution DNA fingerprinting of parthenogenetic root-knot nematodes using AFLP analysis, 119
- Serrano J see De La Rúa P
- Sévigny J-M see Urbani N
- Shapcott A. The patterns of genetic diversity in Carpentaria acuminata (Arecaceae), and rainforest history in northern Australia, 833
- Sherwin WB see Luikart G
- Shields GF see Paetkau D
- Shimamoto Y see Akimoto M
- Shykoff JA see Bucheli E
- Siegismund HR see Simonsen BT
- Sigurjónsson J see Bérubé M
- Silk JB see Frantzen MAJ
- Silvain J-F see Samadi S
- Simmons LW see Jones AG
- Simonsen BT, Siegismund HR, Arctander P. Microsatellite and mitochondrial DNA assessment of population structure and stocking effects in Arctic charr Salvelinus alpinus (Teleostei: Salmonidae) from central Alpine lakes, 225
- Skibinski DAG see Quesada H
- Skibinski DOF see Quesada H
- Slate I see Marshall TC
- Small MP, Beacham TD, Withler RE, Nelson RJ Referees 1996–1997, 141
- Smith CT, Koop BF, Nelson RJ. Isolation and characterization of

- coho salmon (Oncorhynchus kisutch) microsatellites and their use in other salmonids, 1614
- Smith H. New editorial structure for 1998, 1
- Smith MH see Aars I
- Smith MJ see Arndt A
- Smith WA see Schaal BA
- Smouse PE see Chevillon C
- Smouse PE. To tree or not to tree, 399
- Smulders MJM see Grashof-Bokdam CI
- Solano P see Lefrançois T
- Soler JJ see Martinez JG
- Soler M see Martinez IG
- Solignac M see Carcreff E
- Solignac M see Harry M
- Soltis DE see Cook LM
- Soltis PS see Cook LM
- Sonnenberg AS see Xu J
- Soranzo N see Scotti I
- Soranzo N, Provan J, Powell W. Characterization of microsatellite loci in *Pinus sylvestris* L., 1260
- Spradling TA see Demastes JW
- Stacy JE see Refseth UH
- Stadelmann FJ see Kölliker R
- Steele BM see Luikart G
- Steinkellner H see Streiff R
- Stenlid J, Vasiliauskas R. Genetic diversity within and among vegetative compatibility groups of Stereum sanguinolentum determined by arbitrary primed PCR, 1265
- Stepien CA, Faber JE. Population genetic structure, phylogeography and spawning philopatry in walleye (Stizostedion vitreum) from mtDNA control region sequences, 1757
- Stewart REA see Buchanan FC
- Stewart WA, Piertney SB, Dallas JF. Isolation and characterization of highly polymorphic microsatellites in the water vole, Arvicola terrestris, 1258
- Stocchi V see Amicucci A
- Stotzky G see Alvarez AJ
- Straley JM see Baker CS
- Strassmann JE see Peters JM
- Strassmann JE see Wooninck L
- Strassmann JE, Goodnight KF, Klingler CJ, Queller DC. The genetic structure of swarms and the timing of their production in the queen cycles of neotropical wasps, 709
- Strauss SH see Aagaard JE
- Streiff R, Labbe T, Bacilieri R, Steinkellner H, Glössl J, Kremer A. Within-population genetic structure in *Quercus robur* L. and *Quercus petraea* (Matt.) Liebl. assessed with isozymes and
- microsatellites, 317 Strobeck C see Davis CS
- Strobeck C see Paetkau D
- Summers R see Piertney SB
- Sun M see Chen H
- Sved JA see Kinnear MW
- Sydes MA, Peakall R. Extensive clonality in the endangered shrub Haloragodendron lucasii (Haloragaceae) revealed by allozymes and RAPDs, 87
- Sykes RS see Kim I
- Szaro TM see Bruns TD
- Taberlet P see Escaravage N
- Taberlet P see Goossens B

Taberlet P see Meyran JC

Taberlet P see Questiau S

Taberlet P, Fumagalli L, Wust-Saucy A-G, Cosson J-F. Comparative phylogeography and postglacial colonization routes in Europe, 453

Taggart CT see Ruzzante DE

Takabayashi M, Carter D, Loh WKW, Hoegh-Guldberg O. A coral-specific primer for PCR amplification of the internal transcribed spacer region in ribosomal DNA, 929

Tarr CL, Fleischer RC. Isolation and characterization of microsatellite loci in the seed chalcid Megastigmus wachtli (Hymenoptera), 253

Tarr CL see Fleischer RC

Tarr CL, Conant S, Fleischer RC. Founder events and variation in microsatellite loci in an insular passerine bird, the Laysan finch (*Telespiza cantans*), 719

Taylor AC, Cooper DW. A set of tammar wallaby (Macropus eugenii) microsatellites tested for genetic linkage, 925

Taylor AC, Cooper DW. Microsatellite markers for the Phalangerid marsupial, the common brushtail possum (Trichosurus vulpecula), 1780

Taylor DL see Bruns TD

**Taylor EB.** Microsatellites isolated from the threespine stickleback *Gasterosteus aculeatus*, 931

Templeton AR. Nested clade analyses of phylogeographic data: testing hypotheses about gene flow and population history, 381

Thue TD see Buchanan FC

Tiedje JM see Santo Domingo JW

Todd TN see Reed KM

Tollefsrud MM, Bachmann K, Jakobsen KS, Brochmann C. Glacial survival does not matter – II: RAPD phylogeography of Nordic Saxifraga cespitosa, 1217

Toranzos GA see Alvarez AJ

Torti C see Gomulski LM

Troggio M see Scotti I

Tsagkarakou A, Navajas M, Papaioannou-Souliotis P, Pasteur N. Gene flow among *Tetranychus urticae* (Acari: Tetranychidae) populations in Greece, 71

Turner BJ see Duvernell DD

Turner GF see Knight ME

Turner GF see Van Oppen MJH

Turner TF, Richardson LR, Gold JR. Polymorphic microsatellite DNA markers in red drum (*Sciaenops ocellatus*), 1771

Turuspekov Y see Adams RP

Urbani N, Sévigny J-M, Sainte-Marie B, Zadworny D, Kuhnlein U. Identification of microsatellite markers in the snow crab Chionoecetes opilio, 357

Urban-R, J see Bérubé M

Urban-Ramirez J see Baker CS

Valero M see Billot C

Valero M see Forcioli D

Valero M see Wattier R

Valsecchi E. Tissue boiling: a short-cut in DNA extraction for large-scale population screening, 1243

Valsecchi E, Glockner-Ferrari D, Ferrari M, Amos W. Molecular analysis of the efficiency of sloughed skin sampling in whale population genetics, 1419

Van Der Have TM see Boomsma JJ

Van Helden A see Dalebout ML

Van Oppen MJH see Knight ME

Van Oppen MJH, Turner GF, Rico C, Robinson RL, Deutsch JC, Genner MJ, Hewitt GM. Assortative mating among rockdwelling cichlid fishes supports high estimates of species richness from Lake Malawi, 991

Van Treuren R. Estimating null allele frequencies at a microsatellite locus in the oystercatcher (*Haematopus ostralegus*), 1413

Van Tuinen D, Jacquot E, Zhao B, Gollotte A, Gianinazzi-Pearson V. Characterization of root colonization profiles by a microcosm community of arbuscular mycorrhizal fungi using 25S rDNA-targeted nested PCR, 879

Van Waerebeek K see Dalebout ML

Vanlerberghe-Masutti F, Chavigny P. Host-based genetic differentiation in the aphid Aphis gossypii Glover, evidenced from RAPD fingerprints, 905

Vasiliauskas R see Stenlid J

Vautrin D see Carcreff E

Veldkamp JF see Adams RP

Vendramin GG see Bucci G

Vendramin GG see Echt CS

Vendramin GG see Scotti I

Vernet P see Forcioli D

Vilà C see González S

Villablanca FX, Roderick GK, Palumbi SR. Invasion genetics of the Mediterranean fruit fly: variation in multiple nuclear introns, 547

Vogler DR see Cullings KW

Vøllestad L see Refseth UH

Von Ziegesar O see Baker CS

Vosman B see Arens P

Vralstad T, Holst-Jensen A, Schumacher T. The postfire discomycete Geopyxis carbonaria (Ascomycota) is a biotrophic root associate with Norway spruce (Picea abies) in nature, 609

Waits LP see Goossens B

Wajnberg E see Semblat JP

Wallis GP see King TM

Ward RD see Evans BS

Warner RR see Wooninck L

Wattier R, Engel CR, Saumitou-Laprade P, Valero M. Short allele dominance as a source of heterozygote deficiency at microsatellite loci: experimental evidence at the dinucleotide locus Gv1CT in Gracilaria gracilis (Rhodophyta), 1569

**Waycott M.** Genetic variation, its assessment and implications to the conservation of seagrasses, 793

Wayne RK see Frantzen MAJ

Wayne RK see Gompper ME

Wayne RK see González S

Wellington EMH see Wiener P

Wenburg JK, Bentzen P, Foote CJ. Microsatellite analysis of genetic population structure in an endangered salmonid: the coastal cutthroat trout (Oncorhynchus clarki clarki), 733


Wenink PW, Groen AF, Roelke-Parker ME, Prins HHT. African buffalo maintain high genetic diversity in the major histocompatibility complex in spite of historically known population bottlenecks, 1315

Werren JH see West SA

Wesley Andersen L, Born EW, Gjertz I, Wiig Ø, Holm L-E, Bendixen C. Population structure and gene flow of the Atlantic walrus (Odobenus rosmarus rosmarus) in the eastern

- Atlantic Arctic based on mitochondrial DNA and microsatellite variation, 1323
- West SA, Cook JM, Werren JH, Godfrey HJC. Wolbachia in two insect host-parasitoid communities, 1457
- Wetterstrand KA see Schug MD
- Whipple LE see Lunt DH
- White J see Winfield MO
- White RWG see Evans BS
- Wiener P, Egan S, Wellington EMH. Evidence for transfer of antibiotic-resistance genes in soil populations of streptomycetes, 1205
- Wiig Ø see Wesley Andersen L
- Willis JH see Kelly AJ
- Wilson CC, Bernatchez L. The ghost of hybrids past: fixation of arctic charr (Salvelinus alpinus) mitochondrial DNA in an introgressed population of lake trout (S. namaycush), 127
- Wilson CC see Bernatchez L
- Wiltshire CW see Batley J
- Winfield MO, Arnold GM, Cooper F, Le Ray M, White J, Karp A, Edwards KJ. A study of genetic diversity in *Populus nigra* subsp. *betulifolia* in the Upper Severn Area of the UK using AFLP markers, 3
- Wink M, Sauer-Gürth H, Martinez F, Doval G, Blanco G, Hatzofe O. The use of (GACA)<sub>4</sub> PCR to sex Old World vultures (Aves: Accipitridae), 779
- Winnepenninckx B, Backeljau T. Isolation and characterization of microsatellite markers in the periwinkle *Littorina striata*King & Broderip, 1832 (Mollusca, Gastropoda, Prosobranchia), 1253

- Withler RE see Small MP
- Wolfe AD, Xiang Q-Y, Kephart SR. Assessing hybridization in natural populations of *Penstemon* (Scrophulariaceae) using hypervariable intersimple sequence repeat (ISSR) bands, 1107
- Woodford JAT see Fenton B
- Woodruff DS see Nievergelt CM
- Wooninck L, Strassmann JE, Fleischer RC, Warner RR. Characterization of microsatellite loci in a pelagic spawner: the bluehead wrasse, Thalassoma bifasciatum, 1613
- Wright IM see Coltman DW
- Wright JM see O'Connell M
- Wust-Saucy A-G see Taberlet P
- Xiang Q-Y see Wolfe AD
- Xu J, Kerrigan RW, Sonnenberg AS, Callac P, Horgen PA, Anderson JB. Mitochondrial DNA variation in natural populations of the mushroom Agaricus bisporus, 19
- Yamaguchi M see Baker CS
- Yoshida MC see Nagata I
- Yoshida MC see Ohnishi N
- Young JPW see Moreira FMS
- Zadworny D see Urbani N
- Zambonelli A see Amicucci A
- Zhao B see Van Tuinen D
- Zink RM see Fry AJ
- Zong M see Adams RP



## **Keyword** index

5.8S rRNA, 919 16S rRNA, 889 25S rDNA, 879

Acorus, 1275 adaptive radiation, 533 Aesculus, 1616 AFLP, 3, 11, 119 African buffalo, 225, 1315 African elephant, 1436 African trypanosomes, 897 Agaricales, 257 Agaricus bisporus, 35 aggression, 983 agriculture, 1475 agroecology, 1434 agronomic traits, 1557 allele size, 1569 allelic pathways, 371 allozyme(s), 71, 87, 197, 339, 793, 1371, 1625, 1709 Alouatta palliata, 657

Amazonia, 475 American trypanosomiasis, 1784 AMOVA, 107, 945, 1275, 1303, 1591 amplification of clay-bound DNA, 775 antibiotic resistance, 1205 ants, 299, 1709

Aonyx, 1248
aphids, 905
Aphis gossypii, 905
Aphyllophorales, 257
Apis mellifera, 1543
Apodemus, 247
apolipoprotein E, 1423
arbitrary fingerprinting, 1681
arbuscular mycorrhiza, 879
Arctic, 1701
Arctic char, 209, 1655

Artificial dispersal, 19 Arvicola terrestris, 1258 assortative mating, 991, 1605 Asterias amurensis, 1077 asteroid larvae, 1077

asymmetric introgression, 1041 Atlantic walrus, 1323

Atlantic walrus, 1323 ATPase6, 1507 ATPase8, 1507 Australia, 487 autocorrelation, 1337 avian malaria, 1617

bacteria, 1457 Bactrocera, 1489 banana, 659
band-sharing, 1337
bank vole, 1383
bank-scale population structure, 1663
basidiomycetes, 561, 665

Betulaceae, 1151 biodiversity, 307, 519, 833, 991 biogeography, 667, 1183

birds, 187 black alder, 1151 bluehead wrasse, 1613 BNYVV, 1693 boil extraction, 1243 Boletales, 257 bottleneck, 871, 1315 Brachionus plicatilis, 1619 Brassica napus, 1467

bat, 136

breeding, 659
breeding programmes, 779
brood parasitism, 289
brook char, 1655
brown bears, 1283
bryozoans, 1575
budding, 983
Bufo calamita, 751
Burkina Faso, 897

CA repeats, 665, 925, 1253, 1780
Caesalpinia echinata, 601
callitrichid, 1432
Canary Islands, 1543
Cancridae, 357
Caprifoliaceae, 165
Caretta caretta, 1529
catadromy, 1003
cattle, 897
Ceratitis capitata, 1729
Cervidae, 47
Cervus nippon, 871
CERVUS, 639
cetaceans, 1419

character compatibility, 1719 CHD, 1071 CHD-W, 1071 CHD-Z, 1071 Chelyabinsk, 247 Chionoecetes, 357 chloroplast DNA, 453, 465, 1193 chrysomelid, 1434 Chrysopogon, 813

cichlids, 991, 1605 ciscoes, 1091 Clamator glandarius, 289 clay minerals, 775 cleaved amplified polymorphic sequence (CAPS), 1786 clonal, 1719 clonal growth, 1681 clonal plants, 1701 clonal propagation, 165 clonal reproduction, 1575 clonal species, 859 clonality, 87 clone age, 975 clone identification, 87 clone size, 975 clones, 813 Clupeids, 358 coalescence, 381 coalescent theory, 371 coati, 157 cod. 1663

coevolution, 1065 colonization, 381, 1183, 1729 common cuckoo, 1437 common marmoset, 1432 communal nesting, 249 conifers, 789

conservation, 3, 47, 209, 519, 793, 833 conservation biology, 601

conservation genetics, 431, 733, 1087, 1137, 1407, 1529

conservation management, 87, 963 control region, 47, 239, 695, 1091, 1757 control region sequences, 1303 cooperative breeding, 95 coral, 928

coral, 928 Coregonus, 1091 cormorant, 138, 329 Corvidae, 253 Corvus, 253 Coscinasterias muricata, 1077

Coscinasterias muricata, 1077 Cottidae, 1625

Cottidae, 1625 cpSSR(s), 307, 1633 cross-amplification, 251 crossbill, 1261 cross-species, 1782

cross-species amplification, 136, 787, 1431, 1614, 1776

Cuculus canorus, 1437 Culex pipiens, 197

Culex pipiens quinquefasciatus, 1617 cultivar germ plasm introduction, 35 cyclical parthenogenesis, 1619 cytochrome b, 239, 475, 1163, 1359, 1407

cytochrome c oxidase II, 1423

cytochrome oxidase I gene, 1391 cytoplasmic incompatability, 1457

Darwin's finches, 1782 Death Valley pupfishes, 279 defoliation frequency, 1557 demography, 933 differentiation, 317 dinucleotide repeat(s), 57, 133 diploid hybrid speciation, 1107 dispersal, 499, 1053, 1097, 1625 disturbance, 609 diversity, 3, 175, 659, 889, 1041, 1193 D-loop, 1015, 1091 D-loop region, 871 DMSO, 1429 DNA, 1248 DNA adsorption and binding, 775 DNA database, 919

DNA multilocus fingerprinting, 1015 DNA preservation, 1243, 1423 DNA sequencing PCR, 919 DNA species identification, 1077 Douglas fir, 801 drainage evolution, 1507 drainage evolution, 1507

DNA fingerprinting, 81, 95, 859, 1337, 1549

drainage evolution, 1507 drepanidines, 533 Drosophila, 57, 1347 Drosophila melanogaster, 915

DNA extraction, 1243

DNA isolation, 187

DNA markers, 1529

echinoderms, 1077 ecological diversification, 1359 ecological genetics, 1475 ecotypic differentiation, 197 ectomycorrhiza, 273 ectomycorrhizal fungi, 561 effective population size, 279, 719 Emberiza schoeniclus, 1173 Emberizinae, 1782 endangered flora, 601 endangered species, 87, 719 Enhydra, 1248 enriched library, 134 environmental calcium, 1391 epizootiology, 1587 Erinaceus, 1163 erosion control, 813 estuaries, 1771 eusociality, 709 evolution, 257, 1183 evolutionarily significant units, 279 extinction, 35 extrapair copulations, 1549

Fallopia, 1681 female fertility, 819 fertilization, 1557

extrapair paternity, 95

Festuca pratensis Huds., 1557 fin whale, 585 fingerprinting, 119 fire ecology, 609 fish, 431, 1771 fish population genetics, 1255 fisheries genetics, 849 flying-fish stock structure, 1029 food habits, 1401 food web, 1457 forensic, 687 forensic ecology, 1419 forest regeneration, 1616 forests, 307 Formica paralugubris, 1097 fostering, 81 founder events, 719 fragmentation, 165, 381, 833, 933 Fraser River, 141 freshwater fishes, 499 freshwater snail, 1233 fruit fly, 1489 F<sub>ST</sub>, 413 ftsZ, 1457

functional impact, 617 fungal detection, 879 GA repeats, 665 Gadus morhua, 1663

Gammarus fossarum, 1391

gas chromatography, 1127

Gasterosteus aculeatus, 930 Gastropoda, 1253 gene diversity, 1371 gene expression, 1693 gene flow, 138, 329, 381, 585, 667, 695, 859, 1003, 1173, 1261, 1323, 1371, 1383, 1645, 1729 gene genealogy, 945 gene transfer, 1693 gene trees, 371, 547 genealogical concordance, 371 genetic data analysis, 339 genetic differentiation, 751, 905 genetic distance, 1283, 1663 genetic diversity, 11, 107, 547, 687, 933, 1519, 1557, 1701, 1719

genetic diversity, 11, 107, 547, 687, 933, 1519, 1557, 1701, 1719
genetic fingerprinting, 157
genetic marker(s), 247, 930, 1107, 1614
genetic polymorphism, 19, 1543
genetic relatedness, 709
genetic similarity, 165
genetic structure, 299, 667, 933
genetic structure, 299, 667, 933
genetic subdivision, 1441
genetic typing, 975, 1237
genetic variability, 358, 601, 849
genetic variation, 679, 801, 859, 871, 1265, 1591, 1743
genetics, 1663
genetype, 1083

genotypic diversity, 975

geographical distribution, 1655, 1743 Geomyidae, 1065 geostatistics, 1645 germplasm, 19 germplasm collection, 1743 glacial survival, 1217, 1519 glaciation, 431, 453, 1359 glaucous gulls, 1401 Gleditsia, 819 Glossina palpalis gambiensis, 897 Glossina tachinoides, 897 GMMs, 617 grackles, 783 Great Lakes, 1757 grey seal, 81 group-living, 157 grouse, 1645 guppy, 361 gut fermentation, 761 gymnolaemate, 355 gynodioecy, 1193

habitat shift, 1359 habitat type, 71 Haematopus ostralegus, 1413 Halichoerus grypus, 81 haplo-diploid, 1569 haplotype tree, 381 haplotype(s), 307, 1543 haplotypic variability, 1633 harbour seal, 627 Hardy-Weinberg equilibrium, 1431 hari, 1237 Hawaii, 1617 Hawaiian Drosophila, 533 Hawaiian honeycreeper, 719 Hawaiian Islands, 533 headspace volatiles, 1127 hedgehogs, 1163 Hemideina maori, 663 herbicide tolerance, 1693 heteroplasmy, 1041, 1441 heterozygosity, 787, 1253, 1337, 1625 heterozygote deficiency, 1413, 1569 highly variable DNA, 1489 hindgut microbial community, 761 historical biogeography, 175, 499 homoplasy, 399 honey locust, 819 honeybee, 1543 honeysuckle, 165 horizontal gene transfer, 1205 host plant, 71, 1475 host-plant specificity, 905 host selection, 289 humpback whale, 1419 hybrid capture, 1436 hybrid zone, 663 hybridization, 35, 138, 329, 1261, 1681

Hymenoptera, 251

Icterinae, 783 identification, 273 IGS fingerprinting, 1475 immunocontraception, 1780 in situ conservation, 1743 inbreeding avoidance, 157 indel mutation, 1663 indigenous populations, 35 individual indentification, 975 inheritance, 1413 inoculation, 561 insect, 1434 insect gut, 761 Insecta, 251, 1617 insectivores, 1599 inter-SSRs, 1681 intraspecific phylogeny, 239, 371 intraspecific variability, 1391 introduced species, 849, 1617 introgression, 127, 329, 561, 1107, 1655 intron(s), 547, 695, 1255, 1729 invasions, 547 Irvingia gabonensis, 1786 Irvingia wombolu, 1786 island, 1183 island biology, 519 island habitats, 667 isolation, 1519 isolation by distance, 71, 1003 isozyme, 107, 317 ISSR, 1107 ITS region, 1127 ITS, 273, 928 Ixodes ricinus complex, 360

kin selection, 81, 709

Laccaria spp., 561 Lagopus, 1645 Lake Malawi, 991, 1605 Lake Victoria, 849 Laminaria digitata, 1778 landscape ecology, 1383 Larus occidentalis, 1549 Lates niloticus, 849 Laupala, 533 Lens, 1743 life history, 609, 1053 life-history traits, 1371 lineage sorting, 279 linear habitats, 1383 linkage disequilibrium, 1497 Litoria pearsoniana, 175 little bluestem, 1591 Littorina striata, 1253 lizard, 1183, 1587 local clone, 1475 LOD score, 639 loggerhead turtle, 1529 long-distance dispersal, 1217 Loxia, 1261

Luscinia svecica, 239 Lutjanidae, 1089 Lutra, 1248

macropodid, 925

Majidae, 357

malaria, 1587

mammals, 475 management, 679, 695 mantled howler monkey, 657 marine mammal, 1137 marine turtle, 575 Marmota marmota, 1237 marsupial, 679 mass spectrometry, 1127 maternity analysis, 819 mating, 1709 mating frequency, 1097 mating success, 627 mating system, 289, 575, 1497 medfly, 547, 1729 Mediterranean islands, 1407 Megastigmus, 251 Melipona bicolor, 784 Meloidogyne, 1441 Meloidogyne spp., 119 Melospiza melodia, 1303 metapopulations, 1575 MHC-DRB, 1315 microbial community structure, 761 microbial populations, 617 Microbotyrum violaceum, 665 microevolution, 1275 microgeographic differentiation, 339 microsatellite DNA, 209, 251, 299, 1616 microsatellite genotyping, 1776 microsatellite loci, 357, 751, 1173, 1260, 1569 microsatellite primers, 1434 microsatellite(s), 133, 134, 136, 138, 141, 225, 247, 249, 253, 317, 329, 339, 360, 361, 575, 585, 627, 639, 657, 659, 663, 665, 695, 709, 733, 769, 783, 787, 915, 927, 930, 933, 991, 1083, 1085, 1087, 1097, 1233, 1243, 1247, 1251, 1253, 1256, 1258, 1261, 1283, 1323, 1401, 1413, 1419, 1432, 1436, 1437, 1489, 1599, 1605, 1611, 1613, 1614, 1617, 1619, 1633, 1645, 1663, 1771, 1773, 1778, 1782, 1784 migration, 197, 1575 migration models, 413 Mimulus, 769 minisatellite DNA, 1265 mitochondrial control region, 225, 279, 585, 679, 1003 mitochondrial DNA, 47, 175, 127, 209, 239, 371, 419, 431, 453, 475, 499, 585, 687, 801, 871, 945, 1015, 1041, 1053, 1065,

1077, 1091, 1137, 1163, 1183, 1243, 1303,

1323, 1383, 1391, 1429, 1507, 1543, 1553,

mitochondrial DNA control region, 1529

1655, 1757

mitochondrial DNA sequences, 1173 mitochondrial LrRNA gene, 257 mixed populations, 35 Mogurnda adspersa, 1507 molecular clock, 257 molecular identification, 609 molecular markers, 801, 1719 molecular microbial ecology, 889 molecular phylogeny, 1359 molecular rate calibration, 533 molecular scatology, 1423 molecular sexing, 779 molecular systematics, 1137 moose, 1773 morphology, 1173 morphometrics, 983 movement, 1383 mRNA, 1429 mtVNTR, 1441 multilocus, 1337 multilocus DNA fingerprinting, 975 multilocus fingerprinting, 983 multiple mating, 915 multiple origins, 1293 multiple-tubes approach, 1237 multiplex PCR, 1553 multiplexing, 733 Murinae, 247 Musaceae, 659 Mustelidae, 1776 mutation, 575 mycorrhiza, 609 Mycospharella, 1611 Mytilus, 1041 Nasua narica, 157

natterjack toad, 751 nDNA, 465 nematodes, 119 neotropics, 499 nested PCR, 879 New World primate, 657 nonfilial nursing, 81 noninvasive genetic sampling, 1237 noninvasive genotyping, 1432 noninvasive sampling, 1423 nonisotopic probes, 1085 nonradioactive labelling, 927 nuclear DNA, 1029 nucleotide diversity, 1303 null allele(s), 187, 355, 1085, 1413, 1431, 1569, 1599

oilseed rape, 1467 Oncorhynchus, 141, 1614 Oncorhynchus clarki clarki, 733 Orthoptera, 663 Oryza, 107 Oryza glumaepatula, 1371 ostrich, 133, 249 outcrossing, 769

## 1804 KEYWORD INDEX

Ozotoceros bezoarticus, 47

Pacific herring, 358

palm, 833

Panorpa vulgaris, 1256

Papio cynocephalus ursinus, 1423

parasite, 1065

parasitoid, 1457

parentage, 289, 1497, 1782

parentage analyses, 1437

parrots, 1247

parthenogenesis, 119, 1233

passerine, 1261

Patagonia, 667

paternal inheritance, 1041

paternity, 1549, 1613, 1709

paternity analysis, 627

paternity inference, 639

pathogen, 1611

Patiriella regularis, 1077

PCR, 138, 187, 249, 251, 357, 775, 779, 897,

927, 1237, 1248, 1258, 1265, 1347, 1401,

1587, 1611, 1616, 1776

PCR-RFLP, 1151, 1315

peach-potato aphid, 1475

Penaeidae, 1251

Peneaus setiferus, 1251

Penstemon, 1107

Perca fluviatilis, 1015

perch, 1015

Percidae, 1757

periwinkles, 1253

Petrogale, 925

Phaeophyceae, 1778

Phalacrocorax, 138

Phalacrocorax carbo, 329

Phoca vitulina, 627

phylogenetic diversity, 419

phylogenetic reconstruction, 1127

phylogenetics, 465, 687

phylogeography, 47, 279, 399, 431, 465,

475, 487, 533, 751, 1015, 1163, 1217,

1507, 1786

Picea abies, 789

Pinaceae, 1260

pines, 307

pink salmon, 1087

pinniped, 627, 1083

Pinus brutia, 1633

Pinus eldarica, 1633

Pinus halepensis, 1633

Pinus sylvestris, 1260

pipefish, 1497

plant(s), 11, 465

Plasmodium, 1587

platyrrhini, 657

Plecotus auritus, 136

Pleistocene, 487, 1163

Pleistocene refugia, 1303

Podarcis hispanica atrata, 1407

Poecilia, 361

Poeciliopsis, 361

pollen-mediated gene flow, 1107

pollination, 1127, 1616

polyandry, 1097

polymorphic, 783, 925, 1247

polymorphism, 3, 1151, 1233, 1729

polyploidy, 1233, 1293

population declines, 963

population dynamics, 1529

population genetic structure, 819, 1371,

population genetics, 107, 209, 465, 547,

833, 859, 925, 945, 1083, 1173, 1275,

1347, 1419, 1780, 1786

population identity, 585

population structure, 19, 71, 141, 225, 381,

399, 413, 561, 663, 679, 733, 769, 793, 1053, 1193, 1265, 1323, 1529, 1575, 1645

population structuring, 1003

population structuring, 1003

population subdivision, 1489

population viscosity, 983

populations, 1391

Populus nigra, 11

Populus nigra subsp. betulifolia, 3

Populus x canadensis, 11

postglacial history, 1151

predation, 1401

primer(s), 138, 253, 360, 719, 1432, 1619,

1776

progeny analysis, 1413

Pseudomonas fluorescens, 617

Psittacidae, 1247

Pteronura, 1248

Quaternary, 453

queens, 1709

Quercus petraea, 317

Quercus robur, 317

rainbow trout, 945

rainforest history, 833 rainforest(s), 175, 419, 487

range expansion, 381

Rangifer tarandus, 1773

RAPD markers, 187, 1029 RAPD(s), 87, 107, 165, 601, 789, 793, 801,

813, 905, 1217, 1275, 1293, 1347, 1519,

1557, 1575, 1591, 1681, 1701, 1743

Raphanus raphanistrum, 1467

ratites, 249

recombination, 1719

recruitment, 779

red deer, 639, 1347, 1773

red kangaroo, 679

refugia, 1053, 1151

refugium, 453

reindeer, 1773

relatedness, 95, 784 relict populations, 1519

reproducibility, 11

reproductive skew, 1709

reptiles, 134

resource competition, 157

RFLP, 1065, 1193, 1255, 1553

rheophyte, 1275

rhizobium, 889

rhizomania resistance, 1693

Rhodnius, 1784

Rhododendron, 927

rinderpest, 1315 rodent, 667

rodent, 66/

roe deer, 1773 root community, 879

rotifer, 1619

RT-PCR, 1429

Salmo trutta, 339

salmonids, 733, 787, 1087

Salvelinus, 127, 1655

Salvelinus alpinus, 209

Saxifraga cernua, 1519, 1701

Saxifraga cespitosa, 1217 SCAR, 789

SCAR marker, 273

Sceloporus, 1587

Schedorhinotermes lamanianus, 983

Schizachyrium scoparium, 1591

Sciaenidae, 1771

scnDNA, 945

Scots pine, 1260

sea cucumber, 1053

seagrasses, 793 seed dispersal, 819, 1193, 1616

selection, 127, 197

self-fertilization, 769

Septoria, 1611

sequence-tagged sites, 789

sex determination, 187

sex identification, 1071

sex ratios, 779 sex-biased dispersal, 1283

sex-role reversal, 1497

sex-role rev

sexual, 1719

sexual selection, 1497, 1605

short allele dominance, 1569

shrimp, 1251

sika deer, 871

simple sequence length polymorphism, 57 simple sequence repeat(s), 57, 307, 1778

simple sequences, 1599

single-locus DNA marker, 927

sloughed skin, 1243, 1419 snow crab, 357

social insects, 299, 1097

social organization, 1315

soil enzymes, 617

Sorghum, 813

Southeast Farallon Island, 1549 southeast Queensland, 175

southeast Queensia

spanning trees, 399

spatial autocorrelation, 317 speciation, 431, 487, 499, 991, 1293, 1605

- species-specific DNA, 609 specific PCR, 273 specific primers, 879
- sperm competition, 575, 915, 1613
- Spiranthes, 1553
- split decomposition, 1681
- split-sex ratios, 709 spontaneous hybridization, 1467
- Sporophila, 1782 SSLP, 57, 355 SSR, 57, 355, 1260 statistical power, 963
- Stereum sanguinolentum, 1265
- Stizostedion vitreum, 1757 stocks, 695
- stocks, 695 strain survival, 561
- stranding, 687 Streptomyces, 1205 streptomycin, 1205
- subspecies differentiation, 239
- suture-zone, 453 symbiosis, 879 Syncerus caffer, 225
- taxonomy, 1283

- temperature gradient gel electrophoresis, 1003
- tephritid, 1489 termites, 983
- tetranucleotide repeat, 1771
- Tetranychus urticae, 71 TGGE, 1507
- The Netherlands, 165 threespine sticklebacks, 930
- tick, 360 topminnow, 361 *Tragopogon*, 1293 transgenic crops, 1467 transgenic sugar beet, 1693 Trichodectidae, 1065
- trinucleotide, 783, 1247 trinucleotide repeat(s), 784, 1771
- trinucleotide repeat(s), 784, 177 tropical tree(s), 601, 933
- tropical tree legumes, 889 trout, 787 *Tuber*, 273
- universal primers, 1255 Ursus arctos, 1283 Ustilago vioacea, 665

- Varanus komodoensis, 134
- vector, 360
- vegetative compatibility groups, 1265
- vermilion snapper, 1089
- Vespidae, 709
- Vetiveria, 813 vicariance, 419
- Vireo, 1359
- VNTR DNA analysis, 859
- W chromosome, 1071
- walleye, 1757
- walrus, 1083
- walrus, 1063
- water vole, 1258
- waterfowl, 1401
- weeds, 1467
- western gull, 1549
- wild beet, 1193
- wild boar, 1347
- willow beetles, 1434
- Wolbachia, 1457
- Zonotrichia, 1782
- zoogeography, 127, 1137



